Form PTO 948 (Rev. 03401) U.S. DEPARTMENT OF COMMERCE - Parent and Trademark Office Application No. 1997 13	
The drawing(s) filed (insert date) PATENT DRAWING REVIEW Japproved by the Draftsperson ander AT CFR 1.84 or 1.152. By dependent on by the Draftsperson ander AT CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require submission of new, corrected drawings when necessary. Corrected drawing mays be sumitted according to the instructions on the bac links ink. Color. Color drawings are not acceptable entipletion is granted. Fig(s) Binck ink. Color. Color drawings are not acceptable until petition is granted. Fig(s) Photographs nay not be manufed. 37 CFR 1.84(e) Photographs nay not be manufed. 37 CFR 1.84(e) Poor quality (half-orne). Fig(s) Type Cof PAPER. 37 CFR 1.84(f) Paper not flexible, strong, white, and durable. Fig(s) Ensures. alterations, overwritings, interlineations, folds, copy machine marks not acceptable. (no thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f). Acceptable size: 2.1.6 cm by 2.7 cm (61/37 11 inches) Ald drawing sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(f). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: At Size. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: At Size. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: At Size. Right (R) Magins no more deed of show ligare as one entity. Fig(s) Views. 37 CFR 1.84(h)(2) Partial views. 37 CFR 1.84(h)(2) Partial views. 37 CFR 1.84(h)(3) Brackets noted of sparately or property. Fig(s) Ectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)	15579
The drawing(s) filed (insert date) ADDRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: abunitassion of new, corrected drawings when necessary. Corrected drawing must be sagnified according to the instructions on the bac bunitassion of new, corrected drawings when necessary. Corrected drawing must be sagnified according to the instructions on the bac bunitassion of new, corrected drawings when necessary. Corrected drawing must be sagnified according to the instructions on the bac bunitassion of new, corrected drawings was be sagnified according to the instructions on the bac bunitassion of new, corrected drawings was be sagnified according to the instructions on the bac bunitassion of new, corrected drawings was be sagnified according to the instructions on the bac bunitassion of new, corrected drawings was be sagnified according to the instructions on the bac bunitassion of new, corrected drawings was be sagnified according to the instructions on the bac bunitassion of new, corrected drawing was be sagnified according to the instructions on the bac bunitassion of new, corrected drawing was be sagnified according to the instructions on the bac bunitassion of new, corrected drawing was be sagnified according to the instructions on the bac bunitassion of new, corrected drawing must be sagnified according to the instructions on the bac bunitassion of new, corrected drawing must be sagnified according to the instructions on the back on the same sagnified. 8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(f) 8. ARRANGEMENT OF VIEWS.	
The drawing(s) filed (insert date) Discontinuous property The property	<i>:</i>
The drawing(s) filed (insert date) Discreption Discre	
he drawing(s) filed (insert date) Approved by the Draftsperson under 87 CFR 1.84 or 1.152. Approved by the Draftsperson under 87 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved by the Draftsperson under 97 CFR 1.84 or 1.152. Approved under 87 CFR 1.84 or 1.152. Approved under	
the drawing(s) filed (insert date) Approved by the Draftsperson under 67 CFR 1.84 or 1.152 Approved by the Draftsperson under 67 CFR 1.84 or 1.152 Approved by the Draftsperson under 67 CFR 1.84 or 1.152 Approved by the Draftsperson under 67 CFR 1.84 or 1.152 Approved by the Draftsperson under 67 CFR 1.84 or 1.152 Application of new, corrected drawings when necessary, Corrected drawing must be symitted according to the instructions, on the bac with the property of the	
paper with the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require abmission of new, corrected drawings when necessary. Corrected drawing must be sumitted according to the instructions on the bac should be accorded to the property of the property of the property. Fig. 3 Back ink. Color. Color drawings are not acceptable until petition is granted. Fig. 9. Pencil and non black ink, not permitted, Fig. 9. Pencil and non black ink, not permitted, Fig. 9. Posti quality fluid-rone, Fig. 9.	
Drawings sheets not an acceptable size. Fig(s) 1.21.0 or by 27.9 cm (DIN size A4) 2.10. cm by 27.9 cm (DIN size A4) 2.10. cm by 27.9 cm (B I/2 X11 inches) All trawing sheets not an acceptable margins: Sheet(s) Drawings sheets not an acceptable size. Fig(s) 1.21.0 cm by 27.9 cm (B I/2 X11 inches) All trawing sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable margins: Size OF APER, 37 CFR 1.84(g); Acceptable size. Sheet(s) Drawings sheets not an acceptable size. Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size OF APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size APER, 37 CFR 1.84(g); Acceptable margins: Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size APER, 37 CFR 1.84(g); Acceptable are acceptabl	
DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: DRAWINGS. 37 CFR 1.84(a): Acceptable until petiton is granted. Color drawings are not acceptable until petiton is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Juliations set is required. Fig(s) Juliations are is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(b) Juliations are is required. Fig(s) Proof quality (half-tone). Fig(s) Proof graphs Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Juliations with the same size. Sheet(s) Juliation sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable (too thin). Fig(s) Drawings sheets not an acceptable size. Fig(s) Juliation sheet not an acceptable (too thin). Fig(s) Juliation sheet not an acceptable size. Sheet(s) Juliation sheet not an acceptable size is not succeptable size. Sheet(s) Juliation sheet not an acceptable size. Sheet(s) Juliation sheet not an acceptable size is not succeptable size. Sheet(s) Juliation sheet not an acceptable size. Sheet(s) Juliation sheet not an acceptable size. Sheet(s) Juliation sheet not an acceptable size is not succeptable size. Sheet(s) Juliation sheet not an acceptable size. Juliation sheet not sheet not an acceptable size. Juliation sheet not	
DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: Slack ink. Color. Color drawings are not acceptable until petiton is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) J. full-tone set is required. Fig(s) J. full-tone set is required. Fig(s) Photographs, may not be-mounted. 37 CFR 1.84(c) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations. tolds, copy machine marks not accepted. Fig(s) Mydia, return paper is not acceptable (sizes: 21.0 cm by 29.7 cm (8 12.4 1 inches) All drawings sheets not an acceptable sizes: 21.0 cm by 29.7 cm (8 12.4 1 inches) JARGINS. 37 CFR 1.84(p). Acceptable sizes: 21.0 cm by 29.7 cm (8 12.4 1 inches) JARGINS. 37 CFR 1.84(p). Acceptable in argins: op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm STZE: A4 Size op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm STZE: 8 12 x 1 Top (7) Left (L) Right (R) Bottom (B) JEWS. 37 CFR 1.84(p) EMINDER: Specification may require revision to orrespond to drawing changes. artial views. 37 CFR 1.84(p) EMINDER: Specification may require revision to orrespond to drawing changes. artial views. 37 CFR 1.84(p)(3) Brackets needed/to show figure as one entity. Fig(s) Enraged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) JEMINDER: Specification any require revision to orrespond to drawing changes. Jargins not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Social black areas pate or prig of pright. Jargins not indicated for sectional portions of an object. Fig(s) Social black areas pate or pright of graphs. Jargins not acceptable to the primary and proper pright of the primary and proper pright of the primary and pright of the primary and pright of the primary and	ack of this notice
Slack ink. Color. Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non-black ink, not permitted. Fig(s) Profit quality (half-tone). Fig(s) Profit quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Profit quality (half-tone). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 2-7 cm (tol 12 at 11 inches) All drawing sheets not an acceptable lexize. Fig(s) Drawings sheets not an acceptable size. Fig(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) All AraCins. 37 CFR 1.84(f): Acceptable misse. Size 1.2 s com Right 1.5 cm Bottom 1.0 cm Size 1.4 size op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size 1.2 s complete and positions of a complete revision to make the complete of the position of the complete of	iek of this hotice
lack ink. Color. Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) 1 full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR L84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, tolds, copy machine marks not acceptable (too thin). Fig(s) IZE OF PAPER. 37 CFR L84(r). Acceptable sizes: 2.1.0 cm by 29.7 cm (0 IN ziz A) 2.1.0 cm by 29.7 cm (0 IN ziz A) Drawings sheets not an acceptable size. Fig(s) Mylar, velum paper is not acceptable size. 2.1.0 cm by 29.7 cm (8 Iz Z 1 I linches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Markins. Joseph St. 12 x 11 Argins not acceptable. See Bultom 1.0 cm SIZE: 84 Size ap 2.5 cm Left 2.5 cm Right 1.5 cm Bultom 1.0 cm SIZE: 8 I/2 x 11 Argins not acceptable. Fig(s) Top (1) Left (L) Right (R) Bottom (B) EWS. 37 CFR L84(h) Lead lines missing. Fig(s) NUMBERS of Views. 37 CFR L84(h)(2) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)	
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Poncil and non black ink not permitted. Fig(s) Poncil and non black ink not permitted. Fig(s) Plottographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, volum paper is not acceptable (too thin). Fig(s) Paper not flexible, strong, white, and defined, clear, dyrable, and black (poor line qual folials, come by 2.79 cm (plN size A4) 2.10 cm by 2.70 cm (plN size A	
Fig(s) Pencil and non black ink not permitted. Fig(s) Porting and non black ink not permitted. Fig(s) I full-tone ext is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, (tolds, copy machine marks not acceptable (see thin). Fig(s) Erasures, alterations, overwritings, intertineations, (tolds, copy machine marks not acceptable (see depth). Fig(s) Erasures, alterations, overwritings, intertineations, (tolds, copy machine marks not acceptable (see depth). Fig(s) Erasures, alterations, overwritings, intertineations, (tolds, copy machine marks not acceptable (see depth). Fig(s) Erasures, alterations, overwritings, intertineations, (tolds, copy machine marks not acceptable sizes: 21.0 cm by 29.7 cm (tolds). 21.0 cm by 29.7 cm (tolds). 21.0 cm by 29.7 cm (tolds). All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) ARGINS. 37 CFR 1.84(f): Acceptable margins: 70 EFR L84(g): Acceptable margins: 70 EFR L84(g): Acceptable margins: 71 EFR L84(g): Acceptable margins: 72 EFR L84(g): Acceptable margins: 73 CFR 1.84(g): Acceptable margins: 74 EFR L84(g): Acceptable margins: 75 EFR L84(g): Acceptable margins: 76 EFR L84(g): Acceptable margins: 77 EFR L84(g): Acceptable margins: 78 EFR L84(g): Acceptable margins: 79 EFR L84(g): Acceptable margins: 79 EFR L84(g): Acceptable margins: 81 EFR L84(g): Acceptable margins: 82 EFR L84(g): Acceptable margins: 83 CFR L84(g): Acceptable margins: 94 EFR L84(g): Acceptable margins: 95 EFR L84(g): Acceptable margins: 95 EFR L84(g): Acceptable margins: 10 EFR L84(g): Acceptable margins: 11 EFR L84(g): Acceptable margins: 12 EFR L84(g): Acceptable margins: 13 EFR L84(g): Acceptable margins: 14 EFR L84(g): Acceptable margins: 15 EFR L84(g): Acceptable margins: 16 EFR L84(g): Acceptable margins: 17 EFR L84(g): Acceptable margins: 18 EFR L84(g): Acceptable margins: 19 EFR L84(
pencil and non black ink not permitted. Fig(s) If full-tone set is required. Fig(s) I full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Berasures, alterations, overwritings, interlineations, tolds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (not hin). Fig(s) ZE of PAPER. 37 CFR 1.84(c) All drawing sheets not the same size. Sheet(s) Drawings sheets not tan acceptable size. Fig(s) Drawings sheets not tan acceptable margins: Sp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: A4 Size SiZE: 8 1/2 x 11 argins not acceptable. Fig(s) Thumbers and reference characters not plain and 1 Fig(s) Left (L) Right (R) Bottom (R) EEWS. 37 CFR 1.84(p) Left (L) Right (R) Bottom (R) EEWS. 37 CFR 1.84(p) Left (L) Right (R) Bottom (R) EEWS. 37 CFR 1.84(p) Left (L) Right (R) Bottom (R) EEWS. 37 CFR 1.84(p) Left (L) Right (R) Bottom (R) EEWS. 37 CFR 1.84(p) Left (L) Right (R) Bottom (R) EEWS. 37 CFR 1.84(p) Lead lines missing. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)	e top
HOTOGRAPHS: 37 CFR 1.84(b) Plot quality (half-ione). Fig(s) Photographs, may not be mounted. 37 CFR 1.84(c) Photographs, may not be mounted. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 2-9.7 cm (B1/S 24 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) EARGINS. 37 CFR 1.84(g): Acceptable margins: Pape 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size SIZE: A4 Size Drawings sheets not may require revision to mespond to drawing changes. Fig(s) Right (R) Bottom (B) EWS. 37 CFR 1.84(h) SCCTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Scctional designation should be noted with Arabic or Roman numbers. Fig(s) Scctional designation should be noted with Arabic or Roman numbers. Fig(s) Scid black shading not used for color contrast. Fig(s) Solid black shading not permitted. Fig(s) Lead lines cross can other. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s)	
Photographs may not be mounted. 37 CFR 1.84(c) Poor quality (half-tone). Figs) PyE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, and bare flexible, fig(s) Paper not flex	thout
Photographs, may not be mounted. 37 CFR 1.84(c) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Ensures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) ARGINS. 37 CFR 1.84(g): Acceptable margins: Pap 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size SiZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. Pag 1.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm S	vo-thirds in
YPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 2.1.0 cm by 2.9.7 cm (DIN size A4) 2.1.0 cm by 2.9.7 cm (DIN size A4) ZI.0 cm by 2.9.7 cm (DIN size A4) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable enargins: ARGINS. 37 CFR 1.84(g): Acceptable margins: Drawings sheets not an acceptable enargins: SIZE: A4 Size Top (T) SIZE: A4 Size Top (T) Left (L) Size: A4 Size Top (T) Left (L) Sight (R) Bottom (B) EWS. 37 CFR 1.84(h) Single (R) EWS. 37 CFR 1.84(h) Single (R) EWS. 37 CFR 1.84(h) Single (R) Emarkets needed to show ligure as one entity. Fig(s) Enarged view not labeled separately or properly. Fi	
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interfineations, folds, copy machine marks not accepted. Fig(s) Mylar, volum paper is not accepted. Fig(s) Mylar, volum paper is not acceptable (too thin). Fig(s) ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.0 cm by 27.9 cm (OIN size A4) 21.0 cm by 27.9 cm (10 ksize A4) 21.0 cm by 28.7 cm (10 ksize A4) 21.0 cm by 29.7 cm (10	. I
Fig(s) Erasures, alterations, overwritings, interlineations, tolds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) ZE OF RAPER. 37 CFR L84(f): Acceptable sizes: 21.0 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable margins: p 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size p 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Argins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) EWS. 37 CFR L84(h) MINDER: Specification may require revision to respond to drawing changes. Ital views. 37 CFR L84(h)(1) Brackets needed/to show figure as one entity. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sill Dlack shading not undiformly thick and defined, cleag, dyrable, and black (poor line qual fig(s) Sill Dlack area pale. Fig(s) Solid black shading not uniformly thick and defined, cleag, dyrable, and black (poor line qual fig(s) Solid black shading not uniformly thick and defined, cleag, dyrable, and black (poor line qual fig(s) Solid black shading not uniformly thick and defined. Fig(s) Solid black shading not uniformly thick and defined. Fig(s) Solid black shading not uniformly thick and defined from print qual fig(s) Solid black shading not uniformly thick and defined from print product. Fig(s) Solid black shading not uniformly thick and defined from print product. Fig(s) Solid black shading not uniformly thick and defined from print product. Fig(s) Solid black shading not uniformly thick and defined. Fig(s)	S.
Educations, determinations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Sp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Sp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Size: B 1/2 x 11 Size: B 1/2 x 11 Sign (R) Bottom (B) EWS. 37 CFR 1.84(h) MINDER: Specification may require revision to recspond to drawing changes. Trial views. 37 CFR 1.84(h)(2) Brackets needed to show ligure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Harding not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Mylar velum paper is not acceptable. Fig(s) Solid black srasa pale. Fig(s) Solid black areas pale. Fig(s) Solid black	nd well
Mylar, velum paper is not acceptable (too thin). Fig(s) ZEO FP APER. 37 CFR 1.84(f): Acceptable siZes: 21.0 cm by 27.9 cm (DIN size A4) 21.0 cm by 27.9 cm (B I/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable margins: pp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size pp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (T) Right (R) EWS. 37 CFR 1.84(h) Bottom (B) EWS. 37 CFR 1.84(h) Minibers: Specification may require revision to rrespond to drawing changes. rital views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) CCTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Solid black areas pale. F	ality).
Fig(s) ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (B I/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) ARGINS. 37 CFR 1.84(g): Acceptable margins: Pp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Pp 2.5 cm Left 2.5 cm Right 5.5 cm Bottom 1.0 cm SIZE: B I/2 x 11. argins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) EWS. 37 CFR 1.84(h) MINDER: Specification may require revision to respond to drawing changes. Trial views. 37 CFR 1.84(h)(2) Brackets needed fo show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not indicated for sectional portions of an object. Fig(s) CCTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 1 Shade lines capte, rough and blurred. Fig(s) 1 NUMBERING perpose characters not plain and 1 Figure legends are poor. Fig(s) Numbers and reference characters mot price in a same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Solid black shading not prompt not used. 37 CFR 1.84(p)(2) Fig(s) Legends are poor. Fig(s) Numbers and reference characters mot price in a same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Legends are poor. Fig(s) Numbers and reference characters mot price in a same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Legends are poor. Fig(s) Numbers and reference characters mot price in a same direction as the view. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p)(3) Fig(s) Lead lines rissing. Fig(s) Lead lines rissing. Fig(s) Numbers letters and reference characters must be segmining with number 1. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s)	
ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.0 cm by 27.9 cm (SIV size A4) 22.0 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size of 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size of 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A1 Size of 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11.	
21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 I/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) ARGINS. 37 CFR 1.84(g): Acceptable margins: by 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size pp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2x 11 argins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) EWS. 37 CFR 1.84(h) Billion (B) EWS. 37 CFR 1.84(h) Billion (B) EWS. 37 CFR 1.84(h)(2) Brackets needed for show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Left (L) Brigks Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) CTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) CTIONAL VIEWS. 37 CFR 1.84(h)(3) Roman numbers. Fig(s) Roman numbers. Fig(s) Roman numbers. Fig(s) Lead times pale, rough and blurred. Fig(s) Numbers and reference characters not prian and 1 Fig(s) Lead times are poor. Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in same direction as an effection as an	*
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) ARGINS. 37 CFR 1.84(g): Acceptable margins: p2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size p2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81 1/2 x 11. argins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) EWS. 37 CFR 1.84(n) MINDER: Specification may require revision to rrespond to drawing changes. rtial views. 37 CFR 1.84(h)(2) Brackets needed/to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 12. NUMBERS. LETTERS, & REFERENCE CHARACTI 37 CFR 1.84(p) Numbers and reference characters not plain and 1 Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not plain and 1 Fig(s) Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters must be same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters must be same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters must be same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters must be same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters must be same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers and reference characters must be same direction as the view. 37 CFR 1.84(p)(2)	
Sheet(s) Drawings sheets not an acceptable size. Fig(s) ARGINS. 37 CFR 1.84(g): Acceptable margins: P2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size P2.5 cm Left 2.5 cm Right 5.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Argins not acceptable. Fig(s) Top (T) SIZE: B 1/2 x 11 Argins not acceptable. Fig(s) EWS. 37 CFR 1.84(h) EMINDER: Specification may require revision to rrespond to drawing changes. Trial views. 37 CFR 1.84(h)(2) Brackets needed to show ligure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Roman numbers. Fig(s) Sheet in a section of the view. 37 CFR 1.84 (h)(3) ERMINDER: Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84 (h)(3) ENDARTH Review and reference characters must be small reference characters must be small refrence char	TERS.
Drawings sheets not an acceptable size. Fig(s) ARGINS. 37 CFR 1.84(g): Acceptable margins: pp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm	
ARGINS. 37 CFR 1.84(g): Acceptable margins: p 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm	i legible.
Numbers and reference characters not oriented in same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Top (T)	
SIZE: A4 Size ap 2.5 cm Left 2.5 cm Rights 5.6 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. argins not acceptable. Fig(s) Top (T) Right (R) EMINDER: Specification may require revision to orrespond to drawing changes. artial views. 37 CFR 1.84(h)(2) Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Enlarged view not labeled separately	in the
pp 2.5 cm Left 2.5 cm Rights 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11. largins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) IEWS. 37 CFR 1.84(h) Emglish alphabet not used37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be figs. 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) IEWS. 37 CFR 1.84(h) Emglish alphabet not used37 CFR 1.84(p)(2) Fig(s) IEWS. 37 CFR 1.84(h) Brackets needed to show require revision to orrespond to drawing changes. Artial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Entarged view not labeled separately or properly. Fig(s) Entarged view not labeled separately or properly. Fig(s) Entarged view not labeled separately or properly. Fig(s) ECTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)	
SIZE: 8 1/2 x 11. fargins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) EMINDER: Specification may require revision to prrespond to drawing changes. artial views. 37 CFR 1.84(h)(2) Brackets needed to show ligure as one entity. Fig(s) Lead lines russing. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Top (T) Right (R) Bottom (B) Fig(s) Lead lines russing. Fig(s) Lead lines russing. Fig(s) Lead lines russing. Fig(s) NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic beginning with number 1. Fig(s) Corrections a numbered consecutively and in Arabic dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Socional designation should be noted with Arabic or Roman numbers. Fig(s) Roman numbers. Fig(s)	20 to 10
Numbers, letters and reference characters must be Top (T)	
Right (R) Bottom (B) Right (R) Bottom (B) Right (R) Bottom (B) (IEWS. 37 CFR 1.84(h) EMINDER: Specification may require revision to orrespond to drawing changes. artial views, 37 CFR 1.84(h)(2) Brackets needed to show ligure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Right (R) Bottom (B) 13. LEAD LINES, 37 CFR 1.84(q) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic beginning with number 1. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic beginning with number 1. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic beginning with number 1. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) Sheets not number 1. Sheet(s) Corrections not made from prior PTO-948 dated Lead lines missing. Corrections of the Arabic beginning with numbe	be at least
I. LEAD LINES. 37 CFR 1.84(n) I. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) — Lead lines missing. Fig(s) — Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) — Views not labeled separately or properly. — Fig(s) — Enlarged view not labeled separately or properly. — Fig(s) — Enlarged view not labeled separately or properly. — Fig(s) — Enlarged view not labeled separately or properly. — Fig(s) — Enlarged view not labeled separately or properly. — Tig(s) — Corrections not made from prior PTO-948 — dated — Lead lines missing. — Sheets not numbered consecutively, and in Arabic beginning with number 1. Sheet(s) — Views not numbered consecutively. — Views not numbered consecutively. — Orrections at 7 CFR 1.84(u) — Corrections at 7 CFR 1.84(u) — Corrections at 7 CFR 1.84(u) — Corrections not made from prior PTO-948 — dated — Lead lines missing. — Lead line	
EMINDER: Specification may require revision to Lead lines cross each other. Fig(s) Trespond to drawing changes. artial views. 37 CFR 1.84(h)(2) Brackets needed/to show ligure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separetely or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabie or Roman numbers. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabie beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabie beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Socional designation should be noted with Arabie or Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast. Fig(s)	
Artial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabie or Roman numbers. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabie or sheets not numbered consecutively, and in Arabie or segmining with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabie or segmining with number 1. Fig(s) Views not numbered consecutively, and in Arabie or segmining with number 1. Fig(s) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s)	
Brackets needed to show figure as one entity. Fig(s)	
Fig(s) beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic beginning with number 1. Fig(s) beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic beginning with number 1. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Fig(s) Surface shading shown not appropriate. Fig(s) Surface shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast.	
Views not labeled separately or properly. Fig(s)	ic numerals
Fig(s)	-
Entarged view not labeled separetely or properly. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 18.	ic numerals.
Corrections not made from prior PTO-948 dated Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s)	,
### CTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Settle Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Adated Surface Shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s)	.}
Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s)	. [
Fig(s) Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Signs for color contrast.	
Roman numbers. Fig(s)	*
:	• 10
MMENTS	
MMENTS	İ
MMENTS	
	- 1
	ľ
	J
	_
ARD aline	70717
VIEWER <u>UBK</u> DATE <u>8/14/0/</u> TELEPHONE NO. <u>70330</u>	18/954

ATTACHMENT TO PAPER NO.

1553923

REMINDER

Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig.1A, Fig.1B, Fig.1C, etc., the specification, at the Brief Description of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

File new drawings with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Reyeiw Branch.

2. Timing for Corrections \\\\\-

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37).

Failure to take corrective action within set period will result in ABANDONMENT of the Application:

3. Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than defects noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted other than correction of defects, unless the examiner has approved the proposed changes.

7.03308135	ገር ሚያነ ብጹ ፑ ድ ር	m. 9/14/CL	393	PEMEMEK_
		10.1	,	_

ATPACPIMENT EN PAPER MO.

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1 136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made other than correction of informalities, unless the examiner has approved the proposed changes

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a)

Failure to take corrective action within the set period will result in ABANDONMENT of the application.